Velussi C → Midrio M
Vilella S, Guerra L, Helmle-Kolb C, Murer H: Characterization of basolateral Na/H exchange (Na/H-1) in MDCK cells 275

Waldegger S → Wöll E
Walton C → Dojat M
Watanabe M → Muraki K
Wegman EA → Cook DI
Weiss H → Lang F
Wellens HJJ → Glatz JFC
Whitaker M → Silver RA
Wiethölter H → Brinkmeier H
Wittner M → Di Stefano A
Wöll E, Waldegger S, Lang F, Maly K, Grunicke H: Mechanism of intracellular calcium oscillations in fibroblasts expressing the ras oncogene 208
Wöll E → Lang F
Wojnowski L, Gaßner B, Steigner W, Oberleithner H: Endothelin-1 blunts transepithelial transport and differentiation of Madin-Darby canine kidney cells 508
Woledge RC → Phillips SK
Wu G, Hamill OP: NPPB block of Ca^{++}-activated Cl^- currents in *Xenopus* oocytes 227

Xiong Z, Kitamura K, Kuriyama H: Evidence for contribution of Ca^{2+} storage sites on unitary K^+ channel currents in inside-out membrane of rabbit portal vein 112
Yakel JL: Inactivation of the Ba^{2+} current in dissociated *Helix* neurons: voltage dependence and the role of phosphorylation 470
Young JA → Cook DI

Zhu Y, Nosek TM: Ruthenium red affects the contractile apparatus but not sarcoplasmic reticulum Ca^{2+} release of skinned papillary muscle 255
Zou S-z → Neunlist M

Subject index

A

A6 cells 559
Acetylcholine 127, 223, 313, 336, 461
Acetylcholine action 389
– receptors 479
Acid/base regulation 153
– transport 584
Acidification 78
Acinar cells 297
Acridines 29
Action potential 172
Active NaCl transport 290
Adenocarcinoma 46
Adenosine 359, 522
– 3′,5′-(cyclic)monophosphate 16
Adenylate system 359
Adrenal chromaffin cells 61
β-Adrenergic agents 389
β-Adrenergic system 223
Aging 407
Aldohexoses 367
Aldosterone 508
Aluminium 515
Amiloride 78, 275, 544, 559
1,2-bis (2-aminophenoxy) ethane-N,N′,N′-tetraacetic acid (BAPTA) 493
4-Aminopyridine (4-AP) 451
Ammonium chloride 297
Angiotensin II 127
1,5-Anhydro-D-glucitol 367
Anhydrosugars 367
Anilines 29
Anion channels 46
Anodal stimulation 611
Anti-connexin antibodies 87
Antifibrillatory drug 446
Ant venom 239
Aortic smooth muscle cells 417
Apamin 54, 347, 417
Arachidonic acid 551
Arginine-vasopressin 219
Arsenate 544
Arteries 536
Atomic emission spectroscopy 106
ATP 101, 146, 213, 359, 470
ATP-activated channel 213
ATPase 187
– activity 187
ATP phosphorylation potential 359
ATP sensitivity 101
Atrial myocytes 410
Autacoids 461

B

B_2-type receptors 213
Ba^{2+} 54, 83
Ba^{2+} current 470
Barium 451
Basolateral membrane 54, 319, 559
– – potential 290
BAYk8644 219
BAY K8644-sensitive channel 200
BC3H-1 cells 479
Bepridil 566
Bicarbonate 584
– secretion 46
– transport 153
Bladder 23
Blockade of BK channels 167
Blood flow 194
Bradykinin 208, 213
Brain perfusion 194
Brainstem-spinal cord preparations 399
8-Bromo(8-Br)-cAMP 61
Brush-border membrane 551
Bubble method 264
Bufo marinus 23
Bumetanide 424
Butyric acid 297

C

Ca^{2+} 101, 515
Ca^{2+}-activated Cl^- currents 227
Ca^{2+}-activated K^+ channel(s) 54, 101, 167, 417
Ca^{2+}-activated skinned single muscle fibres 434
Ca^{2+} antagonistic action 410
Ca^{2+}-ATPase 566
Ca^{2+}/calmodulin-dependent protein Kinase II 470
Ca^{2+} channel(s) 61, 72, 219, 255
Ca^{2+} channel current 529
Ca^{2+} chelation 101
Ca^{2+} concentration(s) 46, 109, 248
Ca^{2+}-dependent K^+ current 112
Ca^{2+}-dependent mechanism 515
Ca^{2+}-dependent stimuli 522
^{45}Ca efflux 313
Ca^{2+} entry blockers 566
$[Ca^{2+}]_i$ 115
Ca^{2+} influx 297
Ca^{2+}-permeability 213
Ca^{2+} reabsorption 566
Ca^{2+} release 167
Ca^{2+} release process 603
Ca^{2+}-sensitive electrode 101
Ca^{2+} sensitivity 187
Ca^{2+} storage sites 112
Ca^{2+} tail currents 302
Ca^{2+} transport 566
Ca-channel subunits 413
Ca current(s) 94, 106, 413
Ca-Dependent K channels 461
Ca-EGTA 101
Caffeine 112, 115, 213
Calcitonin 16, 282
Calcium 23, 180, 522, 573, 595, 603
–, cellular 313
–, intracellular 493
Calcium-activated potassium channels 109
Calcium channel(s) 72, 146, 200, 470
– current 9, 146
Calcium-dependent potassium current, $I_{K(Ca)}$ 347
Calcium elevation 213
– intracellular 536
– oscillation 208
"Calcium-potassium paradox" 428
Calcium stores 313
Calmodulin antagonist melittin 329
cAMP 9, 16, 61, 336, 389
cAMP-dependent phosphorylation 413
Capillary endothelial cells 200
Carbachol-induced membrane currents 297
Carbamylcholine 479
Cardiac action potential(s) 223, 611
– assist devices 1
– calcium channel 413
– delayed rectifier K^+ currents 180
– K^+ channels 180
– potassium channels 180
– ventricular cells 94
Cardiomyoplasty 1

Velussi C → Midrio M
Vilella S, Guerra L, Helmle-Kolb C, Murer H: Characterization of basolateral Na/H exchange (Na/H-1) in MDCK cells 275

Waldegger S → Wöll E
Walton C → Dojat M
Watanabe M → Muraki K
Wegman EA → Cook DI
Weiss H → Lang F
Wellens HJJ → Glatz JFC
Whitaker M → Silver RA
Wiethölter H → Brinkmeier H
Wittner M → Di Stefano A
Wöll E, Waldegger S, Lang F, Maly K, Grunicke H: Mechanism of intracellular calcium oscillations in fibroblasts expressing the ras oncogene 208
Wöll E → Lang F
Wojnowski L, Gaßner B, Steigner W, Oberleithner H: Endothelin-1 blunts transepithelial transport and differentiation of Madin-Darby canine kidney cells 508
Woledge RC → Phillips SK
Wu G, Hamill OP: NPPB block of Ca^{++}-activated Cl^- currents in *Xenopus* oocytes 227

Xiong Z, Kitamura K, Kuriyama H: Evidence for contribution of Ca^{2+} storage sites on unitary K^+ channel currents in inside-out membrane of rabbit portal vein 112
Yakel JL: Inactivation of the Ba^{2+} current in dissociated *Helix* neurons: voltage dependence and the role of phosphorylation 470
Young JA → Cook DI

Zhu Y, Nosek TM: Ruthenium red affects the contractile apparatus but not sarcoplasmic reticulum Ca^{2+} release of skinned papillary muscle 255
Zou S-z → Neunlist M

Subject index

A

A6 cells 559
Acetylcholine 127, 223, 313, 336, 461
Acetylcholine action 389
– receptors 479
Acid/base regulation 153
– transport 584
Acidification 78
Acinar cells 297
Acridines 29
Action potential 172
Active NaCl transport 290
Adenocarcinoma 46
Adenosine 359, 522
– 3′,5′-(cyclic)monophosphate 16
Adenylate system 359
Adrenal chromaffin cells 61
β-Adrenergic agents 389
β-Adrenergic system 223
Aging 407
Aldohexoses 367
Aldosterone 508
Aluminium 515
Amiloride 78, 275, 544, 559
1,2-bis (2-aminophenoxy) ethane-N,N′,N′-tetraacetic acid (BAPTA) 493
4-Aminopyridine (4-AP) 451
Ammonium chloride 297
Angiotensin II 127
1,5-Anhydro-D-glucitol 367
Anhydrosugars 367
Anilines 29
Anion channels 46
Anodal stimulation 611
Anti-connexin antibodies 87
Antifibrillatory drug 446
Ant venom 239
Aortic smooth muscle cells 417
Apamin 54, 347, 417
Arachidonic acid 551
Arginine-vasopressin 219
Arsenate 544
Arteries 536
Atomic emission spectroscopy 106
ATP 101, 146, 213, 359, 470
ATP-activated channel 213
ATPase 187
– activity 187
ATP phosphorylation potential 359
ATP sensitivity 101
Atrial myocytes 410
Autacoids 461

B

B_2-type receptors 213
Ba^{2+} 54, 83
Ba^{2+} current 470
Barium 451
Basolateral membrane 54, 319, 559
– – potential 290
BAYk8644 219
BAY K8644-sensitive channel 200
BC3H-1 cells 479
Bepridil 566
Bicarbonate 584
– secretion 46
– transport 153
Bladder 23
Blockade of BK channels 167
Blood flow 194
Bradykinin 208, 213
Brain perfusion 194
Brainstem-spinal cord preparations 399
8-Bromo(8-Br)-cAMP 61
Brush-border membrane 551
Bubble method 264
Bufo marinus 23
Bumetanide 424
Butyric acid 297

C

Ca^{2+} 101, 515
Ca^{2+}-activated Cl^- currents 227
Ca^{2+}-activated K^+ channel(s) 54, 101, 167, 417
Ca^{2+}-activated skinned single muscle fibres 434
Ca^{2+} antagonistic action 410
Ca^{2+}-ATPase 566
Ca^{2+}/calmodulin-dependent protein Kinase II 470
Ca^{2+} channel(s) 61, 72, 219, 255
Ca^{2+} channel current 529
Ca^{2+} chelation 101
Ca^{2+} concentration(s) 46, 109, 248
Ca^{2+}-dependent K^+ current 112
Ca^{2+}-dependent mechanism 515
Ca^{2+}-dependent stimuli 522
^{45}Ca efflux 313
Ca^{2+} entry blockers 566
$[Ca^{2+}]_i$ 115
Ca^{2+} influx 297
Ca^{2+}-permeability 213
Ca^{2+} reabsorption 566
Ca^{2+} release 167
Ca^{2+} release process 603
Ca^{2+}-sensitive electrode 101
Ca^{2+} sensitivity 187
Ca^{2+} storage sites 112
Ca^{2+} tail currents 302
Ca^{2+} transport 566
Ca-channel subunits 413
Ca current(s) 94, 106, 413
Ca-Dependent K channels 461
Ca-EGTA 101
Caffeine 112, 115, 213
Calcitonin 16, 282
Calcium 23, 180, 522, 573, 595, 603
–, cellular 313
–, intracellular 493
Calcium-activated potassium channels 109
Calcium channel(s) 72, 146, 200, 470
– current 9, 146
Calcium-dependent potassium current, $I_{K(Ca)}$ 347
Calcium elevation 213
– intracellular 536
– oscillation 208
"Calcium-potassium paradox" 428
Calcium stores 313
Calmodulin antagonist melittin 329
cAMP 9, 16, 61, 336, 389
cAMP-dependent phosphorylation 413
Capillary endothelial cells 200
Carbachol-induced membrane currents 297
Carbamylcholine 479
Cardiac action potential(s) 223, 611
– assist devices 1
– calcium channel 413
– delayed rectifier K^+ currents 180
– K^+ channels 180
– potassium channels 180
– ventricular cells 94
Cardiomyoplasty 1

Catecholamines 16
Cathodal stimulation 611
Cation channel(s) 83, 319
Cell-attached patch-clamp 231
β Cell Ca^{2+} current 72
Cell culture 46, 417
–, kidney cells 153
– differentiation 508
– homeostasis 275
– membrane 78, 83, 584
– volume regulation 424
Central noradrenergic system 376
cGMP 9
Channel activation 319
– activity 417
– density 248
– kinetics 479
Charybdotoxin 347,417
Chelation of intracellular Ca^{2+} 493
Chloride channels 46, 559
– current(s) 223, 297, 313
– secretion 515
p-Chloromercuribenzoate 83
8-Chlorophenylthio cAMP 389
Chronic electrical stimulation 1
– low-frequency stimulation 359
Citrate 347
Cl^- channel blocker 559
Cl^- channels 46
Cl^- conductance 551, 559
Cl^-/HCO_3^--exchanger 290
Cl^-/OH^- exchanger 551
Cl^- transport 551
Co^{2+} 94
Cochlear outer hair cells 493
Colon 54, 515
Colon crypt cells 319
Compensatory renal hypertrophy 159
Complicance 434
Conductance 559
Connecting tubule 566
Connexin-43 87
Connexin protein 87
Contractile apparatus 255
Contraction 255
Control of posture 376
Copper 106
Cortical collecting duct(s) 39, 566
– temperature 500
Creatine 359
– phosphate 354
Crossbridge stiffness 434
Crustacean muscle 187
Cs^+ 83, 94
Cultured mammalian cells 87
Current clamp 239
Current/voltage relationship 451
Cyclic-adenosine-mono-phosphate-dependent protein kinase 470
Cyclic AMP 61, 282
– AMP-dependent phosphorylation 61
Cyproheptadine 9
Cytoplasmic calcium 536
– pH 78
Cytosol 536
Cytosolic Ca^{2+} 109
– calcium 428, 493
– pH 54
– sodium 493
Cytotoxic T lymphocytes 172

D

Decerebrate cats 376
Denervated soleus muscle 446
Denervation 446
Depolarization-secretion coupling 121
Desensitization 16, 479
Dexamethasone 559
Dextran (MW 200000 Da) 434
Diacylglycerol 269
DIDS 46
Differentiation 508
Digital imaging microscopy 213
2,6-Diisopropylphenol 393
4,4′-diisothiocyanato-stilbene-2,2′-di-sulphonic acid (DIDS) 146
Dihydropyridine niguldipine 410
Diltiazem 566
Dimethyl-amiloride 424
Dioctanoylglycerol 269
Diphenylamine-2-carboxylate 83
Distal colon crypt cells 319
– tubule 275
Disulphonic stilbene derivatives 46
Divalent ions 106
D-mannose 367
Dopamine 269
Dorsal root ganglion 590
Double whole-cell recording 87

E

Eccentric exercise 354
EDRF 140
EDRF-mediated relaxation 140
EEG slow-wave activity 500
EGTA 146
Elastic properties 434
Electrical excitability of hypophyseal cells 302
– stimulation 1
Electron microprobe analysis 159, 290
Endocytosis 121
Endothelial cells 200
Endothelin 508
A7r5 Endothelin 417
Endothelium 140
Endothelium-derived relaxing factor 140
Endotoxin 259
Energy metabolism 1
Energy-rich phosphates 354
Enhancement of I_{Ca} 146
Epithelia 282
Equivalent circuit analysis 559
β-Escin 461
Excitation-concentration coupling 536
Excitation-contraction coupling 407
Excitatory postsynaptic potentials (EPSPs) 399
Exercise 354
Exhaustion 359
Exocytosis 121
External calcium inotropy 603

F

Facilitatory influence 376
Fast perfusion system 573
Fast-twitch muscle 359
Fatigue-prone muscle 1
Fatigue resistant muscle 1
Felodipine 566
Ferret right ventricle 603
Fever response of sheep 259
Fibre type transformation 359
Fibrillation 446
Fibroblasts 208
Filament overlap 578
Filtration rate 159
Fish intestine 551
FL cells 87
Flow ventilator 136
Fluid absorption and secretion 551
Flunarizine 566
Fluorescence image microscopy 493
– microscope 595
Fluorescent dyes (artefacts and limits to resolution) 595
– ratio indicators 595
Fluoride 451
Fluorine 515
fMet-Leu-Phe 522
Force/pCa relationship 187
Forskolin 9, 389
Frog heart 611
Fura-2 172,428, 493, 536, 595
– fluorescence measurements 573
Fura-2-patch-clamp 213
Furosemide 290, 424

G

GABA 302
Gap-junctional conductance 87
Gap junctions 87
Gating 180
– mode(s) 219, 239
Gating properties 61, 470
Gestation 259
Giga-seal formation 248
Glial cells 584
Glibenclamide charybdotoxin 54
Glucagon 16
Glucose 359
Glycagon 354
Glycogon 359
G proteins 72, 127
Granules lytic 172
GTP [S] 72
Guanine nucleotides 354
Guanosine 5′-triphosphate 461

H

Haemodynamic pressure overload 603
Hair cells 493
Heart 223, 255, 611
– muscle 94
– transplant 172
Heat rate 578
Helix pomatia 146
Henle's loop 290
Heparin 112, 127
HEPES-buffered saline 584
Heterocyclic compounds 29
High impedance mechanical ventilator 136
Hill plot 566
Hodgkin-Huxley parameters 248
– type m^2 activation process 61
Hormonal regulation 282

Hormone receptors 16
H^+ transport across plasma cell membrane 78
Human muscle cells 621
– pancreas 46
Hydrogen ion 153
Hyperfiltration 159
Hyperpolarization 410
Hypertrophy 603
Hypodermic needles 106
Hypophysis 302
Hypoxia induced vasodilation 118

I

Immunological rejection 172
Inactivation 470
Indomethacin 515
Induction of labour 259
Inflammation 621
Inhibitor of nitric oxide 194
– – protein kinases 227
Inner medullary collecting duct 544
Inophore 522
Inosine monophosphate 354
Inositol 1,4,5-triphosphate 112, 461
– phosphates 127
– trisphosphate 313
Inotropic responsiveness 603
Insulin secretion 72
Integrating electronics 618
Intercellular communication 87
Interleukin-2 621
Intermediate lobe cells 302
Internal GTP [S] 72
– perfusion 87
Interosseal skeletal muscle fibres 231
Intestinal transport 551
Intestine 329
Intracellular alkalinization 584
– Ca^{2+} 522
– Ca^{2+} availability 603
– Ca^{2+} concentrations 515
– calcium 115
– – oscillations 208
– citrate 347
– ion imaging 595
– Mg^{2+} 347
– pH 78, 297, 584
– – (pH_i) 275, 282
Ion channel gating 61
Ion channels 264
IP_3-activated $I_{K(Ca)}$ 347
3-Isobutyl-1-methylxanthine IBMX 9
Isobutyl-1-methylxanthine (IBMX) 389
Isolated crypts 54
– endothelial cell 200
– perfused hearts 255
– – tubule 39, 290
– rabbit intestine 329
Isometric exercise 354
– force 359, 578
– heat rate 578
Isophosphatidylcholine 94
Isoprenaline 223
Isoproterenol 16
[1-(5-isoquinoline-sulphonyl)-2-methylpiperazine hydrochloride] 146

K

K_{ATP} channels 118
K^+ channel 112
K channel blockers 231
K^+ channel blockers 83
K^+ channels 54, 101, 167, 393
K-Channels 461
K^+ conductance 78
K^+ current 118, 302
K^+ depolarization 428
Ketanserine 9
Kidney 16, 29
Kidney, K transport 39
– cells 153, 508
– collecting system 566
K^+ reversal potential 109
K^+ secretion 23

L

La^{3+} 493
La^{3+} 83
Lactate 359
Lanthanum sensitive calcium entry 208
Leech 584
– glial cells 584
Lemakalim 118
Lengthening, forced 354
Leukocytes 522
Li^+ 127
Lipid membranes 264
Lithium 551
LLC-PK_1/PKE_{20} cells 282
Loading test 367
Locus coeruleus 376
Loudspeaker-driven system 529
L-type Ca^{2+} channels 61, 219
– calcium channels 72
– channel 200
Lucifer yellow 399
Lung function testing 136

M

Macro cell-attached patch-clamp 231
Madin-Darby canine kidney cells 269, 508
Mag-Indo-1/AM fluorescence 347
Magnesium 347
– withdrawal 140
Maxi K-channel 54
– K^+ channels 101
MDCK 269
– cells 275, 508
Mechanical threshold 407
– ventilation 136
– ventilator 136
Medulla 399
Melittin 329
Membrane, inside-out 112
– capacitance 121
– current(s) 172, 297
– hyperpolarizations 109
– potential(s) 109, 399
– proteins integral 94
– vesicles 551
Mesenteric artery 115, 118
Mesotubarium smooth muscle 428
Metabolic adaptation 1
– inhibition 118
Metabolites of energy supply 359
Methiothepin 9
Methoxyverapamil 566
Microdissection 16
Microelectrode "point" voltage clamp 407
Microelectrodes 559
Microinjection 376
Microscopy 213
Miniature end plate potential 336
Monoolein/hexadecane 264
Motion artifacts 611
Motoneurons 376
Motor endplate 231
Multi-channel pipette 573
Multiple solution exchanges 529
Muscarinically evoked secretion 167
Muscarinic receptors 313
Muscle 248, 428, 446, 578
–, chronic stimulation 359
– cells 461, 621
– contraction 187,damage 354
– fibers 407
– fibres 231, 239, 434
– fibre types 187
Myoballs 248
Myocardial electrophysiology 172
– perfusion 194
Myocyte(s) 172, 180, 410
Myofibrillar ATPase 187
Myosin heavy chain (MHC) isoforms 446
– isoforms 446

N

N^1 [^{3}H]methylnicotinamide (MeN^+) 29
Na^+, K^+ $2Cl^-$ cotransporter 424
Na^+-Ca^{2+} exchange 493, 566
Na channels 239
Na current 94, 231
Na^+ current(s) 248, 302, 342, 590
Na^+-dependent Cl^- transport 551
Na^+ flux 584
Na^+/H^+ antiporter 508
Na^+/H^+ exchange 153
Na/H exchange 78, 275
Na^+/H^+ exchange activity 282
Na^+/H^+ exchanger 290, 424
Na^+-K^+-$2Cl^-$-cotransporter 551
Na/K-ATPase 269
Na^+/K^+ pump 493
Na reabsorption 159
Nephron segments 16
Nernst equation 231
Neural retina 451
Neuroblastoma X glioma hybrid cells 347
Neurohypophyseal hormones 23
Neuromuscular junction 336
Neuronal calcium currents 106
Neurones 146
– of *Helix pomatia* 9
Neurons from Helix aspersa 470
Neurotransmitters 486
Neutrophils 522
Newborn rat dorsal root ganglia 590
– rats 399
NG108-15 cells 347
N^G-nitro-L-arginine methyl ester 194
NH_4^+ 39
NH_3/NH_4^+ permeation 83
NIH fibroblasts 208, 424
Nimodipine 146
Nitric oxide 194

5-nitro-2-(3-phenylpropyl-amino)benzoate 559
5-Nitro-2(4-phenylpropylamino)-benzoic 551
N-methyl-D-glucamine ($NMDG^+$) 493
NO 194
Non-selective cation channel 83
Nonselective cation channels 319
Noradrenaline 115, 536
Noradrenergic system 376
NPPB 227
Nystatin-permeabilized patch 109

O

Octanol/water distribution ration 29
Okadaic acid 470
OK cells 153
Oleoylacetylglycerol 269
Olfactory receptor neurons 342
Omega-conotoxin-sensitive component 486
Omohyoideus muscles 578
Oncogene 208
Oocyte cell membrane 83
Oocytes 127, 227
Optical recordings 611
Organic cations 29
Osteoblast-like cells 109
Ouabain 544, 566
Ouabain-inhibitable mechanism 329
Ovarian follicles 127
Oxygen radical production 522

P

Pacemaker current 389
Palmitate oxidation 1
Palmitoylcarnitine 94
Pancreatic cancer cell line (Capan-1) 46
– duct cells 46
– islet B cells 121
– β cells 72
Papillary muscle 255
Paradoxical decrease in cytosolic calcium 428
Parathyroid hormone 16, 146, 544
Parotid gland 167, 297
Parturition 259
Patch-clamp 46, 94, 101, 106, 167, 213, 219, 231, 248, 297, 342, 393, 470, 590, 618, 621
– analysis 302
– technique 451
PC 12 cells 213
PC12 cells 393
Peanut lectin 508
Peptide inhibitor (CKIP) 470
Perfusion rapid 479
Peripartum period 259
Permeabilization 461
Pertussis-toxin 72, 127
pH 544
Phagocytic functions 451
Phenylalkylamines (catecholamines) 29
8-Phenyltheophylline 522
Pheochromocytoma cell line 393
– (PC 12) cells 213
pH Extracellular 153
Phorbol 12-myristate 13-acetate 146
– ester(s) 146, 269, 282
– myristate acetate 269
– – – (PMA) 522
Phosphatase 470
– inhibitor okadaic acid 470
Phosphate transport 544
Phosphocreatine 359
Phosphodiesterase 336
Phospholipid bilayers 94
Phosphorylation 9, 61, 413, 470
– potential 359
pH-Sensitive fluorescent probe 2'7'-bis-carboxyethyl-5,6-carboxyfluorescein 275
pH-sensitive K^+ conductance 78
Piezoresistive sensor 264
Pig myocytes 180
Pituitary thin slices 302
PK-C inhibitors 146
Polyamine 329
Polymorphonuclear leukocytes 522
Poneratoxin 239
Portal vein 112
Posterior pituitary hormones 23
Post-rest contractility 603
Postsynaptic activity 399
Posture 376
Potassium 180,428
– channels 23, 451
– conductance 39
– current 118, 297
Primary culture(s) 417, 566
Principal cells 39
Procainamide 446
Prophase-arrested oocytes 78
Propofol 393
Prostaglandin E_2 319
Protein kinase(s) 61, 227
– – A 336
– – C 146,C 269,C 282
– – inhibitor 9
Proteolytic enzymes 354
Proton transport 78
Proximal tubule 29
PTH
Purkinje fibers 389
Putrescine transport 329
Pyridines 29
Pyrogens 259
Pyruvate dehydrogenase complex 1

Q

Quanta 336
Quartz 618
Quaternary N compounds 29
Quinidine 42, 451
Quinolines 29

R

Rabbit 223
Ras oncogene 208, 424
Rb^+ 39
β-Receptor-operated I_{Cl}
Recovery 359
Rectifier K^+ currents 180
Rectifying Cl^- channels 46
Refractoriness 313
Regional blood flow 194
Renal epithelia 282
– hypertrophy 159
– medulla 508
– NaCl transport 290
– perfusion 194
– Po_4, transport 544
– tissue culture 275
– tubular reabsorption 367
Respiratory neurons 399
Rest periods 603
Retinal pigment epithelium 451
Right ventricle 603
Risotilide 54
Rostral ventrolateral medulla 399
(Rp)-cAMPS isomer 336
Ruthenium red 255

S

Salivary gland 297
Sarcolemma 248
Sarcomere length 578
Sarcoplasmic reticulum 255, 407, 603
Second messengers 461
Secretion 167
Sensory neuron 590
Serotonin 9
Serotonin receptors 9
Shortening velocity 187
Short-term desensitization 16
Silicone oil 618
Single cell assay 121
– – physiology 573
Single-channel activity for K^+ 393
Single channels 618
Single channel noise 618
– muscle fibres 434
Single-nephron glomerular filtration rate (SNGFR) 159
Single smooth muscle cell 461
Sino-atrial node 223
SITS 290, 551
Skeletal muscle 248, 434, 446, 578, 621
– – fibers 407
– – fibres 231, 239
Skinned papillary muscle 255
– single muscle fibres 434
Sleep deprivation 500
– regulation 500
Slow repetitive activity 239
Slow-to-fast transformation 446
Small intestine 329
– K-channel 54
Smooth muscle 118, 413, 417, 428
– – cell(s) 101, 115, 219, 461
– – tone 140
Snail neurone(s) 9, 146
– neurons 470
Socium channel 239
Sodium, intracellular 493
– arsenate 544
Sodium-binding benzoforan isophthalate (SBFI) 493
Sodium/calcium exchange 603
Sodium channel(s) 94, 231,248, 342, 590, 621,– Intracellular 584
– transport 159
559
Solution exchanges 529
Sphingosine 269
Stainless steel hypodermic needles 106
Staphylococcus aureus 259
Stereospecific requirements 367

Stiffness 434
Stripped rabbit descending colon 515
Structure/activity relationship 29
Substance P 461, 573
b-Subunit expression 413
Surface tension 264

T

TEA 39, 54, 167
Tension/$[Ca^{2+}]_i$ relationship 536
Tension transients 434
Tetraethylammonium 83, 167
– (TEA) 451
Tetrodotoxin 590
– (TTX) 342
Thapsigargin 109, 115
Thermoregulation 500
T lymphocytes 172
Toad bladder 23
Tolbutamide 9
Tracer microspheres 194
Transcellular Ca^{2+} transport 566
Transepithelial NaCl net fluxes 290
– transport 508
Triphosphate (ATP) 359
T-type Ca^{2+} currents 410
– transient current 200
Tubular sodium handling 159
Tubuloglomerular feedback 159
Type II fibres 1

U

Unidirectional fluxes 329
Uninephrectomised animals 159
Up-regulation 9
Upright microscope 573
Urinary bladder 219
– Ca^{2+} 23
Ussing chamber 329, 515

V

Valinomycin 551
Vanadate 515
Vascular calcium channel 413
– smooth muscle 112, 140, 413, 417
– – – cells 115
Vasoconstrictors 417
Vasodilation 118
Vasopressin 16, 219, 282, 376, 536, 536
Vasopressium 417
Vein wall 140
Ventilation 136
Ventricular cells 94
– myocytes 172, 529
Verapamil 39, 146
Vertebrate muscles 187
Vesicles 551
Vestibulospinal reflexes 376
Vigilance state 500
Voltage-clamp 61, 109, 146, 180, 248, 407, 529
– conditions 239
Voltage-gated Ca 200
– currents 302
Voltage sensitive dyes 611

W

Water/electrolyte balance 23
Water immersion objectives 573
Whole-cell currents 451
– recordings 399

X

Xenopus laevis oocyte 83
– – ovarian follicles 127
Xenopus oocytes 227, 313, 413
X-ray diffraction patterns 434

Z

Zinc 106
Zn^{2+} 342